T Minmhon	17.40	Constant Maint	da	+ + + + + + + + + + + + + + + + + + +
Taminoe T	UTCS		UD medan	11111e stamp
-	91	/3/3.ccis. and (piperte ad) tip) with filter	USPAT;	2002/12/16 09:34
			US-PGPUB;	
			DERWENT;	
			IBM TDB	
2	2221	(422/100).CCLS.	USPAT;	2002/12/16 09:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
~	,	D6040030 did	IBM TDB	2002/12/16 09:39
)	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	49229	(347/s).ccrs.	USPAT;	2002/12/15 20:55
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
ı	6290	((347/\$).CCLS.) and piezoelectric	USPAT;	2002/12/15 21:00
			US-PGPUB;	
			DERWENT;	
			IBM TDB	
	23	goodman.in. and 422/\$.ccls.	USPAT;	2002/12/15 20:56
			US-PGPUB;	
			EPO; JPO;	
			TEM TOR	
ı	1181	(((347/\$).CCLS.) and piezoelectric) and (holder or container)	USPAT;	2002/12/15 20:59
			US-PGPUB;	
			EPO; JPO;	
			DEKWENT;	
1	21	347/8.ccls. and piezoelectric	USPAT;	2002/12/15 21:02
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
ı	196	347/20.ccls. and piezoelectric	USPAT;	2002/12/15 21:10
			EPO: JPO:	
			DERWENT;	
	•		IBM_TDB	
1 1	7	nd piezoelectric or US-5874971-\$ or US	USOCR USPAT; JPO	2002/12/15 21:11 2002/12/15 21:28
		(JP-04329142-\$ or JP-04327943-\$ or JP-57115351-\$).did.		

US-FAI; 2002/12/13 21:28 US-PGPUB; EPO; JPO; DERWENT;	IBM TDB USPAT; US-PGPUB;	EFO; JPO; DERWENT; IBM_TDB US-PGFUB; EPO; JPO; DERWENT;	IBM_TDB USPAT; 2002/12/15 21:30 US-PGPUB; EPO; JPO;	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	DEKWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	DEKWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;	DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO;	DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT:	IBM TDB
0 ((US-6461812-\$ or US-5874971-\$ or US-4460906-\$ or US-3930260-\$).did. or (JP-04329142-\$ or JP-04327943-\$ or JP-57115351-\$).did.) and hydrophilic	2294 422/\$.ccls. and hydrophilic	1257 422/\$.ccls. and hydrophilic and blood	536 422/\$.ccls. and hydrophilic and blood and capillary	422/\$.ccls. and hydrophilic and blood and capillary and opening and channel	50 (422/\$.ccls. and hydrophilic and blood and capillary and opening and channel) and scale	50 (422/\$.ccls. and hydrophilic and blood and capillary and opening and channel) and scale	251 422/104.ccls. and pipette	0 422/104.ccls. and ((pipette adj tip) with scale)	1 422/104.ccls. and ((tip) with scale)	
1	- 5	1	1		ı	ı	1	ı	ı	

2002/12/16 08:37	2002/12/15 21:48	2002/12/15 21:50	2002/12/15 21:51	2002/12/16 05:18	2002/12/16 05:28	2002/12/16 05:28
USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM TDB USPAT; US-PGPUB; EPO; JPO;	IBM TDB USPAT; JPO	USPAT; US-PGPUB; EPO; JPO; DRRWENT;	IBM TDB USPAT; JPO	USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;
17 73/\$.ccls. and ((pipette adj tip) with (scale or marking or measurement))	2 ("5,223,225").PN.	፲ላ٠	JP-04329142-\$ or JP-04327943-\$).did. ((US-5248479-\$ or US-5271895-\$ or US-5700695-\$ or US-5843691-\$ or US-5948695-\$ or US-5948695-\$ or US-4460906-\$ or US-3930260-\$ or US-5997817-\$ or US-6461812-\$ or US-874971-\$ or US-4761381-\$).did. or (JP-57115351-\$ or JP-04329142-\$ or JP-04327943-\$).did.) and filter	74971-\$ or US-6461 0260-\$ or US-59978 8479-\$ or US-59486 327943-\$ or US-043		· ·
	t	ı	I	ı	ı	ı